



# CINGHIE DENTATE POSITIVE - ISO 5296

## TIMING BELTS - ISO 5296

### CINGHIE DENTATE PER POTENZE PICCOLE E MEDIE



#### TIMING BELTS FOR LOWER AND MEDIUM POWER RANGE

#### Proprietà

- › Resistenti a temperature comprese tra -20°C e +100°C in funzione dell'applicazione
- › Relativamente resistenti all'olio
- › Resistenti all'ozono
- › Utilizzabili in climi tropicali
- › Resistenti all'invecchiamento
- › Idonee per lavorare anche sulla parte esterna con galoppino
- › Non necessitano di manutenzione

#### Properties

- › Temperature range from -20 °C to +100 °C depending on application
- › Conditionally resistant to oil
- › Ozone-resistant
- › Suitable for tropical climates
- › Resistant to aging
- › Suitable for reverse flexing/reverse tensioning idlers
- › Maintenance-free



#### DIMENSIONI CINGHIA

#### DIMENSIONS OF BELT

descrizione	passo mm	hs mm	ht mm	S mm	u mm	β gradi
MXL	2,032	1,14	0,51	1,14	0,254	40°
XL	5,080	2,30	1,27	2,57	0,254	50°
L	9,525	3,60	1,91	4,65	0,381	40°
H	12,700	4,30	2,29	6,12	0,686	40°
XH	22,225	11,20	6,35	12,57	1,397	40°




# CINGHIE DENTATE POSITIVE - ISO 5296

## TIMING BELTS - ISO 5296

### MXL

PASSO 0,080 (2,032 mm)



Materiale: Neoprene

descrizione	denti	sviluppo		codice MXL 012 larghezza 3,05 mm	codice MXL 019 larghezza 4,83 mm	codice MXL 025 larghezza 6,35 mm
		pollice	mm			
44 MXL	55	4,40	111,76	1120120440	1120190440	1120250440
44,8 MXL	56	4,48	113,79	1120120448	1120190448	1120250448
46,4 MXL	58	4,64	117,86	1120120464	1120190464	1120250464
48 MXL	60	4,80	121,92	1120120480	1120190480	1120250480
48,8 MXL	61	4,88	123,95	1120120488	1120190488	1120250488
50,4 MXL	63	5,04	128,02	1120120504	1120190504	1120250504
53,6 MXL	67	5,36	136,14	1120120536	1120190536	1120250536
54,4 MXL	68	5,44	138,18	1120120544	1120190544	1120250544
56 MXL	70	5,60	142,24	1120120560	1120190560	1120250560
56,8 MXL	71	5,68	144,27	1120120568	1120190568	1120250568
57,6 MXL	72	5,76	146,30	1120120576	1120190576	1120250576
60 MXL	75	6,00	152,40	1120120600	1120190600	1120250600
61,6 MXL	77	6,16	156,46	1120120616	1120190616	1120250616
64 MXL	80	6,40	162,56	1120120640	1120190640	1120250640
65,6 MXL	82	6,56	166,62	1120120656	1120190656	1120250656
67,2 MXL	84	6,72	170,69	1120120672	1120190672	1120250672
*68 MXL	85	6,80	172,72	1120120680	1120190680	1120250680
69,6 MXL	87	6,96	176,78	1120120696	1120190696	1120250696
70,4 MXL	88	7,04	178,82	1120120704	1120190704	1120250704
72 MXL	90	7,20	182,88	1120120720	1120190720	1120250720
75,2 MXL	94	7,52	191,01	1120120752	1120190752	1120250752
76 MXL	95	7,60	193,04	1120120760	1120190760	1120250760
77,6 MXL	97	7,76	197,10	1120120776	1120190776	1120250776
80 MXL	100	8,00	203,20	1120120800	1120190800	1120250800
80,8 MXL	101	8,08	205,23	1120120808	1120190808	1120250808
82,4 MXL	103	8,24	209,30	1120120824	1120190824	1120250824
*84 MXL	105	8,40	213,36	1120120840	1120190840	1120250840
84,8 MXL	106	8,48	215,39	1120120848	1120190848	1120250848
88 MXL	110	8,80	223,52	1120120880	1120190880	1120250880
89,6 MXL	112	8,96	227,58	1120120896	1120190896	1120250896
90,4 MXL	113	9,04	229,62	1120120904	1120190904	1120250904
91,2 MXL	114	9,12	231,65	1120120912	1120190912	1120250912
94,4 MXL	118	9,44	239,78	1120120944	1120190944	1120250944
96 MXL	120	9,60	243,84	1120120960	1120190960	1120250960
97,6 MXL	122	9,76	247,90	1120120976	1120190976	1120250976
98,4 MXL	123	9,84	249,94	1120120984	1120190984	1120250984
100 MXL	125	10,00	254,00	1120121000	1120191000	1120251000
100,8 MXL	126	10,08	256,03	1120121008	1120191008	1120251008
105,6 MXL	132	10,56	268,22	1120121056	1120191056	1120251056
112 MXL	140	11,20	284,48	1120121120	1120191120	1120251120
120 MXL	150	12,00	304,80	1120121200	1120191200	1120251200




# CINGHIE DENTATE POSITIVE - ISO 5296

## TIMING BELTS - ISO 5296

### MXL

PASSO 0,080 (2,032 mm)



Materiale: Neoprene

descrizione	denti	sviluppo		codice MXL 012 larghezza 3,05 mm	codice MXL 019 larghezza 4,83 mm	codice MXL 025 larghezza 6,35 mm
		pollice	mm			
124 MXL	155	12,40	314,96	1120121240	1120191240	1120251240
131,2 MXL	164	13,12	333,25	1120121312	1120191312	1120251312
*132 MXL	165	13,20	335,28	1120121320	1120191320	1120251320
132,8 MXL	166	13,28	337,31	1120121328	1120191328	1120251328
136 MXL	170	13,60	345,44	1120121360	1120191360	1120251360
140 MXL	175	14,00	355,60	1120121400	1120191400	1120251400
144 MXL	180	14,40	365,76	1120121440	1120191440	1120251440
147,2 MXL	184	14,72	373,89	1120121472	1120191472	1120251472
*180 MXL	225	18,00	457,20	1120121800	1120191800	1120251800
*188,8 MXL	236	18,88	479,55	1120121888	1120191888	1120251888
*200,8 MXL	251	20,08	510,03	1120122008	1120192008	1120252008
238,4 MXL	298	23,84	605,54	1120122384	1120192384	1120252384
277,6 MXL	347	27,76	705,10	1120122776	1120192776	1120252776
*292 MXL	365	29,20	741,68	1120122920	1120192920	1120252920
*296,8 MXL	371	29,68	753,87	1120122968	1120192968	1120252968
*297,6 MXL	372	29,76	755,90	1120122976	1120192976	1120252976
320 MXL	400	32,00	812,80	1120123200	1120193200	1120253200
329,6 MXL	412	32,96	837,18	1120123296	1120193296	1120253296
*347,2 MXL	434	34,72	881,89	1120123472	1120193472	1120253472
*362,4 MXL	453	36,24	920,50	1120123624	1120193624	1120253624
*370,4 MXL	463	37,04	940,82	1120123704	1120193704	1120253704
*398,4 MXL	498	39,84	1011,94	1120123984	1120193984	1120253984
*404 MXL	505	40,40	1026,16	1120124040	1120194040	1120254040

\* Fornita su richiesta / Supplied on request




# CINGHIE DENTATE POSITIVE - ISO 5296

## TIMING BELTS - ISO 5296

### XL

PASSO 1/5" (5,080 mm)



Materiale: Neoprene

descrizione	denti	sviluppo		codice XL 025 larghezza 6,35 mm	codice XL 031 larghezza 7,87 mm	codice XL 037 larghezza 9,40 mm
		pollice	mm			
60 XL	30	6,00	152,40	1130250060	1130310060	1130370060
*70 XL	35	7,00	177,80	1130250070	1130310070	1130370070
76 XL	38	7,60	193,04	1130250076	1130310076	1130370076
80 XL	40	8,00	203,20	1130250080	1130310080	1130370080
*86 XL	43	8,60	218,44	1130250086	1130310086	1130370086
88 XL	44	8,80	223,52	1130250088	1130310088	1130370088
90 XL	45	9,00	228,60	1130250090	1130310090	1130370090
*92 XL	46	9,20	233,68	1130250092	1130310092	1130370092
*94 XL	47	9,40	238,76	1130250094	1130310094	1130370094
96 XL	48	9,60	243,84	1130250096	1130310096	1130370096
98 XL	49	9,80	248,92	1130250098	1130310098	1130370098
100 XL	50	10,00	254,00	1130250100	1130310100	1130370100
102 XL	51	10,20	259,08	1130250102	1130310102	1130370102
106 XL	53	10,60	269,24	1130250106	1130310106	1130370106
108 XL	54	10,80	274,32	1130250108	1130310108	1130370108
110 XL	55	11,00	279,40	1130250110	1130310110	1130370110
*112 XL	56	11,20	284,48	1130250112	1130310112	1130370112
114 XL	57	11,40	289,56	1130250114	1130310114	1130370114
116 XL	58	11,60	294,64	1130250116	1130310116	1130370116
*118 XL	59	11,80	299,72	1130250118	1130310118	1130370118
120 XL	60	12,00	304,80	1130250120	1130310120	1130370120
*124 XL	62	12,40	314,96	1130250124	1130310124	1130370124
*126 XL	63	12,60	320,04	1130250126	1130310126	1130370126
130 XL	65	13,00	330,20	1130250130	1130310130	1130370130
134 XL	67	13,40	340,36	1130250134	1130310134	1130370134
136 XL	68	13,60	345,44	1130250136	1130310136	1130370136
138 XL	69	13,80	350,52	1130250138	1130310138	1130370138
140 XL	70	14,00	355,60	1130250140	1130310140	1130370140
142 XL	71	14,20	360,68	1130250142	1130310142	1130370142
148 XL	74	14,80	375,92	1130250148	1130310148	1130370148
150 XL	75	15,00	381,00	1130250150	1130310150	1130370150
156 XL	78	15,60	396,24	1130250156	1130310156	1130370156
160 XL	80	16,00	406,40	1130250160	1130310160	1130370160
*162 XL	81	16,20	411,48	1130250162	1130310162	1130370162
166 XL	83	16,60	421,64	1130250166	1130310166	1130370166
*168 XL	84	16,80	426,72	1130250168	1130310168	1130370168
170 XL	85	17,00	431,80	1130250170	1130310170	1130370170
*174 XL	87	17,40	441,96	1130250174	1130310174	1130370174
176 XL	88	17,60	447,04	1130250176	1130310176	1130370176
*178 XL	89	17,80	452,12	1130250178	1130310178	1130370178
180 XL	90	18,00	457,20	1130250180	1130310180	1130370180




# CINGHIE DENTATE POSITIVE - ISO 5296

## TIMING BELTS - ISO 5296

# XL

PASSO 1/5" (5,080 mm)



Materiale: Neoprene

descrizione	denti	sviluppo		codice XL 025 larghezza 6,35 mm	codice XL 031 larghezza 7,87 mm	codice XL 037 larghezza 9,40 mm
		pollice	mm			
*182 XL	91	18,20	462,28	1130250182	1130310182	1130370182
*184 XL	92	18,40	467,36	1130250184	1130310184	1130370184
*188 XL	94	18,80	477,52	1130250188	1130310188	1130370188
190 XL	95	19,00	482,60	1130250190	1130310190	1130370190
194 XL	97	19,40	492,76	1130250194	1130310194	1130370194
196 XL	98	19,60	497,84	1130250196	1130310196	1130370196
198 XL	99	19,80	502,92	1130250198	1130310198	1130370198
200 XL	100	20,00	508,00	1130250200	1130310200	1130370200
210 XL	105	21,00	533,40	1130250210	1130310210	1130370210
220 XL	110	22,00	558,80	1130250220	1130310220	1130370220
*228 XL	114	22,80	579,12	1130250228	1130310228	1130370228
230 XL	115	23,00	584,20	1130250230	1130310230	1130370230
*232 XL	116	23,20	589,28	1130250232	1130310232	1130370232
*234 XL	117	23,40	594,36	1130250234	1130310234	1130370234
240 XL	120	24,00	609,60	1130250240	1130310240	1130370240
244 XL	122	24,40	619,76	1130250244	1130310244	1130370244
248 XL	124	24,80	629,92	1130250248	1130310248	1130370248
250 XL	125	25,00	635,00	1130250250	1130310250	1130370250
260 XL	130	26,00	660,40	1130250260	1130310260	1130370260
270 XL	135	27,00	685,80	1130250270	1130310270	1130370270
272 XL	136	27,20	690,88	1130250272	1130310272	1130370272
*274 XL	137	27,40	695,96	1130250274	1130310274	1130370274
280 XL	140	28,00	711,20	1130250280	1130310280	1130370280
*286 XL	143	28,60	726,44	1130250286	1130310286	1130370286
290 XL	145	29,00	736,60	1130250290	1130310290	1130370290
296 XL	148	29,60	751,84	1130250296	1130310296	1130370296
300 XL	150	30,00	762,00	1130250300	1130310300	1130370300
*306 XL	153	30,60	777,24	1130250306	1130310306	1130370306
310 XL	155	31,00	787,40	1130250310	1130310310	1130370310
316 XL	158	31,60	802,64	1130250316	1130310316	1130370316
320 XL	160	32,00	812,80	1130250320	1130310320	1130370320
322 XL	161	32,20	817,88	1130250322	1130310322	1130370322
330 XL	165	33,00	838,20	1130250330	1130310330	1130370330
340 XL	170	34,00	863,60	1130250340	1130310340	1130370340
344 XL	172	34,40	873,76	1130250344	1130310344	1130370344
*350 XL	175	35,00	889,00	1130250350	1130310350	1130370350
360 XL	180	36,00	914,40	1130250360	1130310360	1130370360
380 XL	190	38,00	965,20	1130250380	1130310380	1130370380
*382 XL	191	38,20	970,28	1130250382	1130310382	1130370382
*388 XL	194	38,80	985,52	1130250388	1130310388	1130370388
390 XL	195	39,00	990,60	1130250390	1130310390	1130370390

\* Fornita su richiesta / Supplied on request




# CINGHIE DENTATE POSITIVE - ISO 5296

## TIMING BELTS - ISO 5296

### XL

PASSO 1/5" (5,080 mm)



Materiale: Neoprene

descrizione	denti	sviluppo		codice XL 025 larghezza 6,35 mm	codice XL 031 larghezza 7,87 mm	codice XL 037 larghezza 9,40 mm
		pollice	mm			
*392 XL	196	39,20	995,68	1130250392	1130310392	1130370392
412 XL	206	41,20	1046,48	1130250412	1130310412	1130370412
414 XL	207	41,40	1051,56	1130250414	1130310414	1130370414
432 XL	216	43,20	1097,28	1130250432	1130310432	1130370432
434 XL	217	43,40	1102,36	1130250434	1130310434	1130370434
*438 XL	219	43,80	1112,52	1130250438	1130310438	1130370438
*460 XL	230	46,00	1168,40	1130250460	1130310460	1130370460
*498 XL	249	49,80	1264,92	1130250498	1130310498	1130370498
*506 XL	253	50,60	1285,24	1130250506	1130310506	1130370506
*514 XL	257	51,40	1305,56	1130250514	1130310514	1130370514
*580 XL	290	58,00	1473,20	1130250580	1130310580	1130370580
630 XL	315	63,00	1600,20	1130250630	1130310630	1130370630
730 XL	365	73,00	1854,20	1130250730	1130310730	1130370730




# CINGHIE DENTATE POSITIVE - ISO 5296

## TIMING BELTS - ISO 5296

**L**

**PASSO 3/8" (9,525 mm)**



Materiale: Neoprene

descrizione	denti	sviluppo		codice L 050 larghezza 12,70 mm	codice L 075 larghezza 19,05 mm	codice L 100 larghezza 25,40 mm
		pollice	mm			
124 L	33	12,40	314,96	1140500124	1140750124	1141000124
150 L	40	15,00	381,00	1140500150	1140750150	1141000150
173 L	46	17,30	439,42	1140500173	1140750173	1141000173
187 L	50	18,70	474,98	1140500187	1140750187	1141000187
210 L	56	21,00	533,40	1140500210	1140750210	1141000210
225 L	60	22,50	571,50	1140500225	1140750225	1141000225
236 L	63	23,60	599,44	1140500236	1140750236	1141000236
240 L	64	24,00	609,60	1140500240	1140750240	1141000240
244 L	65	24,40	619,76	1140500244	1140750244	1141000244
255 L	68	25,50	647,70	1140500255	1140750255	1141000255
270 L	72	27,00	685,80	1140500270	1140750270	1141000270
285 L	76	28,50	723,90	1140500285	1140750285	1141000285
300 L	80	30,00	762,00	1140500300	1140750300	1141000300
322 L	86	32,20	817,88	1140500322	1140750322	1141000322
345 L	92	34,50	876,30	1140500345	1140750345	1141000345
367 L	98	36,70	932,18	1140500367	1140750367	1141000367
390 L	104	39,00	990,60	1140500390	1140750390	1141000390
405 L	108	40,50	1028,70	1140500405	1140750405	1141000405
420 L	112	42,00	1066,80	1140500420	1140750420	1141000420
450 L	120	45,00	1143,00	1140500450	1140750450	1141000450
*454 L	121	45,40	1153,16	1140500454	1140750454	1141000454
480 L	128	48,00	1219,20	1140500480	1140750480	1141000480
510 L	136	51,00	1295,40	1140500510	1140750510	1141000510
540 L	144	54,00	1371,60	1140500540	1140750540	1141000540
600 L	160	60,00	1524,00	1140500600	1140750600	1141000600
817 L	218	81,70	2075,18	1140500817	1140750817	1141000817

\* Fornita su richiesta / Supplied on request




# CINGHIE DENTATE POSITIVE - ISO 5296

## TIMING BELTS - ISO 5296

# H

PASSO 1/2" (12,700 mm)



Materiale: Neoprene

descrizione	denti	sviluppo		codice H 075 largh. 19,50 mm	codice H 100 largh. 25,40 mm	codice H 150 largh. 38,10 mm	codice H 200 largh. 50,80 mm	codice H 300 largh. 76,20 mm
		pollice	mm					
240 H	48	24,00	609,60	1150750240	1151000240	1151500240	1152000240	1153000240
255 H	51	25,50	647,70	1150750255	1151000255	1151500255	1152000255	1153000255
270 H	54	27,00	685,80	1150750270	1151000270	1151500270	1152000270	1153000270
300 H	60	30,00	762,00	1150750300	1151000300	1151500300	1152000300	1153000300
330 H	66	33,00	838,20	1150750330	1151000330	1151500330	1152000330	1153000330
360 H	72	36,00	914,40	1150750360	1151000360	1151500360	1152000360	1153000360
370 H	74	37,00	939,80	1150750370	1151000370	1151500370	1152000370	1153000370
390 H	78	39,00	990,60	1150750390	1151000390	1151500390	1152000390	1153000390
420 H	84	42,00	1066,80	1150750420	1151000420	1151500420	1152000420	1153000420
450 H	90	45,00	1143,00	1150750450	1151000450	1151500450	1152000450	1153000450
480 H	96	48,00	1219,20	1150750480	1151000480	1151500480	1152000480	1153000480
510 H	102	51,00	1295,40	1150750510	1151000510	1151500510	1152000510	1153000510
540 H	108	54,00	1371,60	1150750540	1151000540	1151500540	1152000540	1153000540
570 H	114	57,00	1447,80	1150750570	1151000570	1151500570	1152000570	1153000570
600 H	120	60,00	1524,00	1150750600	1151000600	1151500600	1152000600	1153000600
630 H	126	63,00	1600,20	1150750630	1151000630	1151500630	1152000630	1153000630
660 H	132	66,00	1676,40	1150750660	1151000660	1151500660	1152000660	1153000660
670 H	134	67,00	1701,80	1150750670	1151000670	1151500670	1152000670	1153000670
700 H	140	70,00	1778,00	1150750700	1151000700	1151500700	1152000700	1153000700
730 H	146	73,00	1854,20	1150750730	1151000730	1151500730	1152000730	1153000730
750 H	150	75,00	1905,00	1150750750	1151000750	1151500750	1152000750	1153000750
800 H	160	80,00	2032,00	1150750800	1151000800	1151500800	1152000800	1153000800
850 H	170	85,00	2159,00	1150750850	1151000850	1151500850	1152000850	1153000850
900 H	180	90,00	2286,00	1150750900	1151000900	1151500900	1152000900	1153000900
1000 H	200	100,00	2540,00	1150751000	1151001000	1151501000	1152001000	1153001000
1100 H	220	110,00	2794,00	1150751100	1151001100	1151501100	1152001100	1153001100
1120 H	224	112,00	2844,80	1150751120	1151001120	1151501120	1152001120	1153001120
1140 H	228	114,00	2895,60	1150751140	1151001140	1151501140	1152001140	1153001140
1250 H	250	125,00	3175,00	1150751250	1151001250	1151501250	1152001250	1153001250
1400 H	280	140,00	3556,00	1150751400	1151001400	1151501400	1152001400	1153001400
1700 H	340	170,00	4318,00	1150751700	1151001700	1151501700	1152001700	1153001700





# CINGHIE DENTATE POSITIVE - ISO 5296

## TIMING BELTS - ISO 5296

### XH

PASSO 7/8" (22,225 mm)



Materiale: Neoprene

descrizione	denti	sviluppo		codice XH 200 larghezza 50,80 mm	codice XH 300 larghezza 76,20 mm	codice XH 400 larghezza 101,60 mm
		pollice	mm			
507 XH	58	50,75	1289,05	1162000507	1163000507	1164000507
*534 XH	61	53,40	1356,36	1162000534	1163000534	1164000534
560 XH	64	56,00	1422,40	1162000560	1163000560	1164000560
630 XH	72	63,00	1600,20	1162000630	1163000630	1164000630
700 XH	80	70,00	1778,00	1162000700	1163000700	1164000700
770 XH	88	77,00	1955,80	1162000770	1163000770	1164000770
840 XH	96	84,00	2133,60	1162000840	1163000840	1164000840
980 XH	112	98,00	2489,20	1162000980	1163000980	1164000980
1120 XH	128	112,00	2844,80	1162001120	1163001120	1164001120
1260 XH	144	126,00	3200,40	1162001260	1163001260	1164001260
1400 XH	160	140,00	3556,00	1162001400	1163001400	1164001400
1540 XH	176	154,00	3911,60	1162001540	1163001540	1164001540
1750 XH	200	175,00	4445,00	1162001750	1163001750	1164001750

\* Fornita su richiesta / Supplied on request