



CINGHIE PER VARIATORI CONTI®V “VARISPEED” “VARISPEED” V-BELTS CONTI®V

CINGHIE CON ANIMA RESISTENTE RINFORZATA DI POLIESTERE PER VARIATORI DI VELOCITÀ



VARIABLE SPEED BELTS WITH REINFORCED PE TENSILE MEMBER
FOR VARIOMATIC AND VARIATOR DRIVES

Proprietà

- › Resistenti a temperature comprese tra -30°C e +90°C in funzione dell'applicazione
- › Elettricamente conduttrici a norma ISO 1813
- › Relativamente resistenti all'olio
- › Utilizzabili in climi tropicali
- › Resistenti alla polvere
- › Idonee per frizioni

Properties

- › Temperature range from -30 °C to +90 °C, depending on application
- › Electrically conductive in accordance with ISO 1813
- › Conditionally resistant to oil
- › Suitable for tropical climates
- › Dust-proof
- › Suitable for clutches



DIMENSIONI CINGHIA
DIMENSIONS OF V-BELT




descrizione	Me mm	Mp mm	Mi mm	S mm	α gradi
13/6	13	12,3	10,2	6	26°
17/6	17	16,3	14,2	6	26°
21/6	21	20,1	18,0	6	28°
22/8	22	21,3	18,3	8	26°
24/8	24	23,1	20,3	8	26°
26/8	26	25,0	22,0	8	28°
28/8	28	27,1	24,3	8	26°
30/10	30	28,8	25,4	10	28°
32/10	32	31,8	27,0	10	28°

descrizione	Me mm	Mp mm	Mi mm	S mm	α gradi
37/10	37	35,8	32,0	10	28°
42/12	42	40,4	36,0	12	28°
47/12	47	45,4	41,0	12	28°
52/16	52	49,9	43,4	16	30°
55/16	55	53,0	47,0	16	28°
65/20	65	62,3	54,3	20	30°
70/18	70	67,6	60,4	18	30°
83/23	83	79,3	69,8	23	32°



CINGHIE PER VARIATORI CONTI®V “VARISPEED” “VARISPEED” V-BELTS CONTI®V



descrizione	codice	sviluppo mm	Kg.
*13x6 477	CVV0130060477	477	0,050
*13x6 700	CVV0130060700	700	0,063
*13x6 727	CVV0130060727	727	0,065
*13x6 752	CVV0130060752	752	0,068
*13x6 800	CVV0130060800	800	0,072
*13x6 852	CVV0130060852	852	0,077
*13x6 900	CVV0130060900	900	0,081
*13x6 950	CVV0130060950	950	0,086
*13x6 1002	CVV0130061002	1002	0,090
*13x6 1062	CVV0130061062	1062	0,096
*13x6 1122	CVV0130061122	1122	0,101
*13x6 1252	CVV0130061252	1252	0,113

descrizione	codice	sviluppo mm	Kg.
*17x6 552	CVV0170060552	552	0,085
*17x6 702	CVV0170060702	702	0,085
*17x6 802	CVV0170060802	802	0,097
*17x6 902	CVV0170060902	902	0,109
*17x6 1002	CVV0170061002	1002	0,121
*17x6 1202	CVV0170061202	1202	0,146

descrizione	codice	sviluppo mm	Kg.
*21X6 772	CVV0210060772	772	0,117
*21X6 872	CVV0210060872	872	0,133
21X6 972	CVV0210060972	972	0,148

descrizione	codice	sviluppo mm	Kg.
22x8 600	CVV0220080600	600	0,140
22x8 700	CVV0220080700	700	0,143
22x8 725	CVV0220080725	725	0,148
22x8 750	CVV0220080750	750	0,154
*22x8 775	CVV0220080775	775	0,159
22x8 800	CVV0220080800	800	0,164
22x8 850	CVV0220080850	850	0,174
22x8 900	CVV0220080900	900	0,184
22x8 950	CVV0220080950	950	0,194
*22x8 1000	CVV0220081000	1000	0,205
*22x8 1060	CVV0220081060	1060	0,217
*22x8 1120	CVV0220081120	1120	0,229
*22x8 1180	CVV0220081180	1180	0,242
*22x8 1225	CVV0220081225	1225	0,251
*22x8 1250	CVV0220081250	1250	0,256
*22x8 1320	CVV0220081320	1320	0,270
*22x8 1400	CVV0220081400	1400	0,287
*22x8 1500	CVV0220081500	1500	0,307
*22x8 1800	CVV0220081800	1800	0,368

descrizione	codice	sviluppo mm	Kg.
*24x8 1725	CVV0240081725	1725	0,388
*24x8 2160	CVV0240082160	2160	0,486

descrizione	codice	sviluppo mm	Kg.
*26x8 710	CVV0260080710	710	0,173
*26x8 750	CVV0260080750	750	0,184
26x8 762	CVV0260080762	762	0,187
*26x8 800	CVV0260080800	800	0,196
*26x8 850	CVV0260080850	850	0,209
26x8 862	CVV0260080862	862	0,212
*26x8 950	CVV0260080950	950	0,233
26x8 962	CVV0260080962	962	0,236
*26x8 1000	CVV0260081000	1000	0,244
*26x8 1010	CVV0260081010	1010	0,248
*26x8 1060	CVV0260081060	1060	0,258
*26x8 1082	CVV0260081082	1082	0,266
*26x8 1120	CVV0260081120	1120	0,273
*26x8 1180	CVV0260081180	1180	0,288
*26x8 1212	CVV0260081212	1212	0,297
*26x8 1250	CVV0260081250	1250	0,305
*26x8 1400	CVV0260081400	1400	0,341
*26x8 1600	CVV0260081600	1600	0,390


descrizione	codice	sviluppo mm	Kg.
28x8 700	CVV0280080700	700	0,186
28x8 750	CVV0280080750	750	0,199
28x8 805	CVV0280080805	805	0,214
28x8 850	CVV0280080850	850	0,226
28x8 900	CVV0280080900	900	0,239
28x8 950	CVV0280080950	950	0,252
28x8 1000	CVV0280081000	1000	0,266
28x8 1060	CVV0280081060	1060	0,282
28x8 1120	CVV0280081120	1120	0,297
28x8 1180	CVV0280081180	1180	0,313
*28x8 1200	CVV0280081200	1200	0,319
28x8 1250	CVV0280081250	1250	0,332
*28x8 1305	CVV0280081305	1305	0,346
28x8 1320	CVV0280081320	1320	0,351
28x8 1400	CVV0280081400	1400	0,372
*28x8 1450	CVV0280081450	1450	0,385
*28x8 1500	CVV0280081500	1500	0,398
28x8 1605	CVV0280081605	1605	0,426
*28x8 1705	CVV0280081705	1705	0,453
28x8 1805	CVV0280081805	1805	0,479
*28x8 1905	CVV0280081905	1905	0,506
*28x8 2005	CVV0280082005	2005	0,532

descrizione	codice	sviluppo mm	Kg.
*30x10 750	CVV0300100750	750	0,256
*30x10 800	CVV0300100800	800	0,273
30x10 875	CVV0300100875	875	0,299
30x10 900	CVV0300100900	900	0,308
*30x10 950	CVV0300100950	950	0,327
*30x10 1000	CVV0300101000	1000	0,342
30x10 1120	CVV0300101120	1120	0,383
*30x10 1178	CVV0300101178	1178	0,405
30x10 1200	CVV0300101200	1200	0,413
*30x10 1340	CVV0300101340	1340	0,458
*30x10 1433	CVV0300101433	1433	0,493
*30x10 1500	CVV0300101500	1500	0,516
*30x10 1600	CVV0300101600	1600	0,547
*30x10 1700	CVV0300101700	1700	0,579
*30x10 1800	CVV0300101800	1800	0,620

descrizione	codice	sviluppo mm	Kg.
*32x10 709	CVV0320100709	709	0,261
*32x10 724	CVV0320100724	724	0,265
32x10 750	CVV0320100750	750	0,275
32x10 790	CVV0320100790	790	0,290
32x10 850	CVV0320100850	850	0,312
32x10 900	CVV0320100900	900	0,330
32x10 950	CVV0320100950	950	0,348
32x10 1000	CVV0320101000	1000	0,367
*32x10 1073	CVV0320101073	1073	0,393
32x10 1120	CVV0320101120	1120	0,411
*32x10 1180	CVV0320101180	1180	0,433
32x10 1200	CVV0320101200	1200	0,440
*32x10 1250	CVV0320101250	1250	0,458
*32x10 1320	CVV0320101320	1320	0,487
*32x10 1353	CVV0320101353	1353	0,496
*32x10 1400	CVV0320101400	1400	0,514
*32x10 1500	CVV0320101500	1500	0,550
*32x10 1520	CVV0320101520	1520	0,557
*32x10 1553	CVV0320101553	1553	0,569
*32x10 1600	CVV0320101600	1600	0,587
*32x10 1652	CVV0320101652	1652	0,606



CINGHIE PER VARIATORI CONTI®V “VARISPEED” “VARISPEED” V-BELTS CONTI®V



descrizione	codice	sviluppo mm	Kg.
37x10 747	CVV0370100747	747	0,320
37x10 800	CVV0370100800	800	0,343
37x10 830	CVV0370100830	830	0,356
37x10 850	CVV0370100850	850	0,364
37x10 900	CVV0370100900	900	0,386
37x10 950	CVV0370100950	950	0,408
37x10 1000	CVV0370101000	1000	0,429
37x10 1060	CVV0370101060	1060	0,455
37x10 1120	CVV0370101120	1120	0,480
37x10 1180	CVV0370101180	1180	0,506
37x10 1250	CVV0370101250	1250	0,537
37x10 1320	CVV0370101320	1320	0,566
37x10 1400	CVV0370101400	1400	0,601
37x10 1500	CVV0370101500	1500	0,643
37x10 1600	CVV0370101600	1600	0,687
37x10 1700	CVV0370101700	1700	0,729
37x10 1810	CVV0370101810	1810	0,777
*37x10 1900	CVV0370101900	1900	0,815
37x10 2000	CVV0370102000	2000	0,858
*37x10 2062	CVV0370102062	2062	0,885
*37x10 2117	CVV0370102117	2117	0,908
*37x10 2497	CVV0370102497	2497	1,071

descrizione	codice	sviluppo mm	Kg.
*42x12 1000	CVV0420121000	1000	0,560
42x12 1064	CVV0420121064	1064	0,596
42x12 1120	CVV0420121120	1120	0,628
*42x12 1194	CVV0420121194	1194	0,669
*42x12 1250	CVV0420121250	1250	0,700
*42x12 1344	CVV0420121344	1344	0,753
*42x12 1400	CVV0420121400	1400	0,784
*42x12 1440	CVV0420121440	1440	0,809
*42x12 1500	CVV0420121500	1500	0,841
*42x12 1544	CVV0420121544	1544	0,865
*42x12 1600	CVV0420121600	1600	0,897
*42x12 1700	CVV0420121700	1700	0,953
*42x12 1800	CVV0420121800	1800	1,009
*42x12 2000	CVV0420122000	2000	1,121

descrizione	codice	sviluppo mm	Kg.
47x12 905	CVV0470120905	905	0,572
*47x12 1000	CVV0470121000	1000	0,632
*47x12 1035	CVV0470121035	1035	0,655
*47x12 1065	CVV0470121065	1065	0,674
*47x12 1125	CVV0470121125	1125	0,711
*47x12 1185	CVV0470121185	1185	0,749
*47x12 1255	CVV0470121255	1255	0,793
*47x12 1275	CVV0470121275	1275	0,806
47x12 1325	CVV0470121325	1325	0,838
*47x12 1405	CVV0470121405	1405	0,888
*47x12 1440	CVV0470121440	1440	0,910
*47x12 1505	CVV0470121505	1505	0,951
*47x12 1605	CVV0470121605	1605	1,015
47x12 1705	CVV0470121705	1705	1,078
*47x12 1745	CVV0470121745	1745	1,104
47x12 1805	CVV0470121805	1805	1,141
*47x12 1905	CVV0470121905	1905	1,204
*47x12 2005	CVV0470122005	2005	1,267
*47x12 2125	CVV0470122125	2125	1,344
*47x12 2215	CVV0470122215	2215	1,400
47x12 2245	CVV0470122245	2245	1,420
*47x12 2305	CVV0470122305	2305	1,458
47x12 2505	CVV0470122505	2505	1,584
*47x12 2805	CVV0470122805	2805	1,774

descrizione	codice	sviluppo mm	Kg.
52x16 1180	CVV0520161180	1180	1,160
*52x16 1250	CVV0520161250	1250	1,229
*52x16 1325	CVV0520161325	1325	1,310
*52x16 1400	CVV0520161400	1400	1,378
52x16 1525	CVV0520161525	1525	1,499
*52x16 1600	CVV0520161600	1600	1,581
*52x16 1725	CVV0520161725	1725	1,696
*52x16 1925	CVV0520161925	1925	1,892
*52x16 2164	CVV0520162164	2164	2,140
*52x16 2240	CVV0520162240	2240	2,202
*52x16 2424	CVV0520162424	2424	2,397
*52x16 3074	CVV0520163074	3074	3,039

descrizione	codice	sviluppo mm	Kg.
55x16 1180	CVV0550161180	1180	1,240
55x16 1250	CVV0550161250	1250	1,306
55x16 1320	CVV0550161320	1320	1,379
55x16 1400	CVV0550161400	1400	1,464
*55x16 1600	CVV0550161600	1600	1,672
*55x16 1700	CVV0550161700	1700	1,776
*55x16 1800	CVV0550161800	1800	1,879
55x16 2000	CVV0550162000	2000	2,089
*55x16 2240	CVV0550162240	2240	2,340
*55x16 2500	CVV0550162500	2500	2,611
*55x16 2800	CVV0550162800	2800	2,942

descrizione	codice	sviluppo mm	Kg.
*65x20 1506	CVV0650201506	1506	2,191
*65x20 1706	CVV0650201706	1706	2,425
*65x20 1906	CVV0650201906	1906	2,710
*65x20 2146	CVV0650202146	2146	3,050
*65x20 2406	CVV0650202406	2406	3,420
*65x20 2706	CVV0650202706	2706	3,846
*65x20 3056	CVV0650203056	3056	4,345

descrizione	codice	sviluppo mm	Kg.
*70x18 1400	CVV0700181400	1400	2,046
*70x18 1444	CVV0700181444	1444	2,110
*70x18 1500	CVV0700181500	1500	2,192
*70x18 1600	CVV0700181600	1600	2,329
*70x18 1700	CVV0700181700	1700	2,473
*70x18 1800	CVV0700181800	1800	2,618
*70x18 1900	CVV0700181900	1900	2,777
*70x18 2000	CVV0700182000	2000	2,909
70x18 2240	CVV0700182240	2240	3,258
70x18 2500	CVV0700182500	2500	3,654
*70x18 2800	CVV0700182800	2800	4,073
70x18 3147	CVV0700183147	3147	4,600

descrizione	codice	sviluppo mm	Kg.
*83x23 1691	CVV0830231691	1691	3,467
*83x23 1755	CVV0830231755	1755	3,598
*83x23 1891	CVV0830231891	1891	3,877
*83x23 2110	CVV0830232110	2110	4,326
*83x23 2131	CVV0830232131	2131	4,937
*83x23 2691	CVV0830232691	2691	5,517
*83x23 3041	CVV0830233041	3041	6,234

* Fornita su richiesta / Supplied on request