



MANGONES ESTANDAR - ISO 5296

SLEEVES - ISO 5296



XL PASO 1/5" (5,08 mm)

MATERIAL: NEOPRENO

| descripción | dientes | desarrollo | | anchura mm |
|-------------|---------|------------|--------|---------------|
| | | pulgad. | mm | |
| 60 XL | 30 | 6,00 | 152,40 | 480 |
| 70 XL | 35 | 7,00 | 177,80 | 480 |
| 80 XL | 40 | 8,00 | 203,20 | 480 |
| 90 XL | 45 | 9,00 | 228,60 | 480 |
| 100 XL | 50 | 10,00 | 254,00 | 480 |
| 102 XL | 51 | 10,20 | 259,08 | 480 |
| 106 XL | 53 | 10,60 | 269,24 | 480 |
| 108 XL | 54 | 10,80 | 274,32 | 480 |
| 110 XL | 55 | 11,00 | 279,40 | 480 |
| 116 XL | 58 | 11,60 | 294,64 | 480 |
| 120 XL | 60 | 12,00 | 304,80 | 480 |
| 130 XL | 65 | 13,00 | 330,20 | 480 |
| 140 XL | 70 | 14,00 | 355,60 | 480 |
| 148 XL | 74 | 14,80 | 375,92 | 480 |
| 150 XL | 75 | 15,00 | 381,00 | 480 |
| 160 XL | 80 | 16,00 | 406,40 | 480 |
| 170 XL | 85 | 17,00 | 431,80 | 480 |
| 180 XL | 90 | 18,00 | 457,20 | 480 |
| 190 XL | 95 | 19,00 | 482,60 | 480 |
| 200 XL | 100 | 20,00 | 508,00 | 480 |
| 210 XL | 105 | 21,00 | 533,40 | 480 |
| 220 XL | 110 | 22,00 | 558,80 | 480 |
| 230 XL | 115 | 23,00 | 584,20 | 480 |
| 240 XL | 120 | 24,00 | 609,60 | 480 |
| 250 XL | 125 | 25,00 | 635,00 | 480 |
| 260 XL | 130 | 26,00 | 660,40 | 480 |
| 270 XL | 135 | 27,00 | 685,80 | 480 |
| 280 XL | 140 | 28,00 | 711,20 | 480 |
| 290 XL | 145 | 29,00 | 736,60 | 480 |
| 300 XL | 150 | 30,00 | 762,00 | 480 |
| 316 XL | 158 | 31,60 | 802,64 | 480 |
| 330 XL | 165 | 33,00 | 838,20 | 480 |
| 344 XL | 172 | 34,40 | 873,76 | 480 |
| 380 XL | 190 | 38,00 | 965,20 | 480 |

L PASO 3/8" (9,525 mm)

MATERIAL: NEOPRENO

| descripción | dientes | desarrollo | | anchura mm |
|-------------|---------|------------|---------|---------------|
| | | pulgad. | mm | |
| 124 L | 33 | 12,37 | 314,33 | 480 |
| 150 L | 40 | 15,00 | 381,00 | 480 |
| 187 L | 50 | 18,75 | 476,25 | 480 |
| 210 L | 56 | 21,00 | 533,40 | 480 |
| 225 L | 60 | 22,50 | 571,50 | 480 |
| 240 L | 64 | 24,00 | 609,60 | 480 |
| 255 L | 68 | 25,50 | 647,70 | 480 |
| 270 L | 72 | 27,00 | 685,80 | 480 |
| 285 L | 76 | 28,50 | 723,90 | 480 |
| 300 L | 80 | 30,00 | 762,00 | 480 |
| 322 L | 86 | 32,25 | 819,15 | 480 |
| 345 L | 92 | 34,50 | 876,20 | 480 |
| 367 L | 98 | 36,75 | 933,45 | 480 |
| 390 L | 104 | 39,00 | 990,60 | 480 |
| 420 L | 112 | 42,00 | 1066,80 | 480 |
| 450 L | 120 | 45,00 | 1143,00 | 480 |
| 480 L | 128 | 48,00 | 1219,20 | 480 |
| 510 L | 136 | 51,00 | 1295,40 | 480 |
| 540 L | 144 | 54,00 | 1371,60 | 480 |
| 600 L | 160 | 60,00 | 1524,00 | 480 |



MANGONES ESTANDAR - ISO 5296

SLEEVES - ISO 5296



H PASO 1/2" (12,700 mm)

MATERIAL: NEOPRENO

| descripción | dientes | desarrollo | | anchura mm |
|-------------|---------|------------|---------|---------------|
| | | pulgad. | mm | |
| 240 H | 48 | 24,00 | 609,60 | 480 |
| 270 H | 54 | 27,00 | 685,80 | 480 |
| 300 H | 60 | 30,00 | 762,00 | 480 |
| 330 H | 66 | 33,00 | 838,20 | 480 |
| 360 H | 72 | 36,00 | 914,40 | 480 |
| 390 H | 78 | 39,00 | 990,60 | 480 |
| 420 H | 84 | 42,00 | 1066,80 | 480 |
| 450 H | 90 | 45,00 | 1143,00 | 480 |
| 480 H | 96 | 48,00 | 1219,20 | 480 |
| 510 H | 102 | 51,00 | 1295,40 | 480 |
| 540 H | 108 | 54,00 | 1371,60 | 480 |
| 570 H | 114 | 57,00 | 1447,80 | 480 |
| 600 H | 120 | 60,00 | 1524,00 | 480 |
| 630 H | 126 | 63,00 | 1600,20 | 480 |
| 660 H | 132 | 66,00 | 1676,40 | 480 |
| 700 H | 140 | 70,00 | 1778,00 | 480 |
| 730 H | 146 | 73,00 | 1854,20 | 480 |
| 750 H | 150 | 75,00 | 1905,00 | 480 |
| 800 H | 160 | 80,00 | 2032,00 | 480 |
| 850 H | 170 | 85,00 | 2159,00 | 480 |
| 900 H | 180 | 90,00 | 2286,00 | 480 |
| 1000 H | 200 | 100,00 | 2540,00 | 480 |
| 1100 H | 220 | 110,00 | 2794,00 | 480 |
| 1250 H | 250 | 125,00 | 3175,00 | 480 |
| 1400 H | 280 | 140,00 | 3556,00 | 480 |
| 1700 H | 340 | 170,00 | 4318,00 | 480 |

XH PASO 7/8" (22,225 mm)

MATERIAL: NEOPRENO

| descripción | dientes | desarrollo | | anchura mm |
|-------------|---------|------------|---------|---------------|
| | | pulgad. | mm | |
| 507 XH | 58 | 50,75 | 1289,05 | 460 |
| 560 XH | 64 | 56,00 | 1422,40 | 460 |
| 630 XH | 72 | 63,00 | 1600,20 | 460 |
| 700 XH | 80 | 70,00 | 1778,00 | 460 |
| 770 XH | 88 | 77,00 | 1955,80 | 460 |
| 840 XH | 96 | 84,00 | 2133,60 | 460 |
| 980 XH | 112 | 98,00 | 2489,20 | 460 |
| 1120 XH | 128 | 112,00 | 2844,80 | 460 |
| 1260 XH | 144 | 126,00 | 3200,40 | 460 |
| 1400 XH | 160 | 140,00 | 3556,00 | 460 |
| 1540 XH | 176 | 154,00 | 3911,60 | 460 |
| 1750 XH | 200 | 175,00 | 4445,00 | 460 |



MANGONES HTD®

HTD® SLEEVES



HTD 3M PASO 3 mm

MATERIAL: NEOPRENO

| descripción | dientes | desarrollo mm | anchura mm |
|-------------|---------|---------------|------------|
| 111 3M | 37 | 111 | 480 |
| 144 3M | 48 | 144 | 480 |
| 159 3M | 53 | 159 | 480 |
| 168 3M | 56 | 168 | 480 |
| 174 3M | 58 | 174 | 480 |
| 177 3M | 59 | 177 | 480 |
| 210 3M | 70 | 210 | 480 |
| 213 3M | 71 | 213 | 480 |
| 216 3M | 72 | 216 | 480 |
| 225 3M | 75 | 225 | 480 |
| 252 3M | 84 | 252 | 480 |
| 255 3M | 85 | 255 | 480 |
| 267 3M | 89 | 267 | 480 |
| 300 3M | 100 | 300 | 480 |
| 318 3M | 106 | 318 | 480 |
| 336 3M | 112 | 336 | 480 |
| 339 3M | 113 | 339 | 480 |
| 363 3M | 121 | 363 | 480 |
| 384 3M | 128 | 384 | 480 |
| 390 3M | 130 | 390 | 480 |
| 420 3M | 140 | 420 | 480 |
| 447 3M | 149 | 447 | 480 |
| 474 3M | 158 | 474 | 480 |
| 480 3M | 160 | 480 | 480 |
| 501 3M | 167 | 501 | 480 |
| 513 3M | 171 | 513 | 480 |
| 537 3M | 179 | 537 | 480 |
| 564 3M | 188 | 564 | 480 |
| 606 3M | 202 | 606 | 480 |
| 633 3M | 211 | 633 | 480 |
| 711 3M | 237 | 711 | 480 |
| 882 3M | 294 | 882 | 480 |
| 945 3M | 315 | 945 | 480 |
| 1041 3M | 347 | 1041 | 480 |
| 1068 3M | 356 | 1068 | 480 |
| 1071 3M | 357 | 1071 | 480 |
| 1125 3M | 375 | 1125 | 480 |
| 1569 3M | 523 | 1569 | 480 |

HTD 5M PASO 5 mm

MATERIAL: NEOPRENO

| descripción | dientes | desarrollo mm | anchura mm |
|-------------|---------|---------------|------------|
| 300 5M | 60 | 300 | 480 |
| 330 5M | 66 | 330 | 480 |
| 350 5M | 70 | 350 | 480 |
| 375 5M | 75 | 375 | 480 |
| 400 5M | 80 | 400 | 480 |
| 425 5M | 85 | 425 | 480 |
| 450 5M | 90 | 450 | 480 |
| 475 5M | 95 | 475 | 480 |
| 500 5M | 100 | 500 | 480 |
| 535 5M | 107 | 535 | 480 |
| 565 5M | 113 | 565 | 480 |
| 600 5M | 120 | 600 | 480 |
| 615 5M | 123 | 615 | 480 |
| 620 5M | 124 | 620 | 480 |
| 630 5M | 126 | 630 | 480 |
| 635 5M | 127 | 635 | 480 |
| 665 5M | 133 | 665 | 480 |
| 710 5M | 142 | 710 | 480 |
| 755 5M | 151 | 755 | 480 |
| 800 5M | 160 | 800 | 480 |
| 890 5M | 178 | 890 | 480 |
| 900 5M | 180 | 900 | 480 |
| 925 5M | 185 | 925 | 480 |
| 1000 5M | 200 | 1000 | 480 |
| 1050 5M | 210 | 1050 | 480 |
| 1125 5M | 225 | 1125 | 480 |
| 1270 5M | 254 | 1270 | 480 |
| 1500 5M | 300 | 1500 | 480 |



MANGONES HTD®

HTD® SLEEVES



HTD 8M PASO 8 mm

MATERIAL: NEOPRENO

| descripción | dientes | desarrollo mm | anchura mm |
|-------------|---------|---------------|------------|
| 376 8M | 47 | 376 | 480 |
| 424 8M | 53 | 424 | 480 |
| 480 8M | 60 | 480 | 480 |
| 560 8M | 70 | 560 | 480 |
| 600 8M | 75 | 600 | 480 |
| 640 8M | 80 | 640 | 480 |
| 656 8M | 82 | 656 | 480 |
| 720 8M | 90 | 720 | 480 |
| 784 8M | 98 | 784 | 480 |
| 800 8M | 100 | 800 | 480 |
| 880 8M | 110 | 880 | 480 |
| 960 8M | 120 | 960 | 480 |
| 1040 8M | 130 | 1040 | 480 |
| 1120 8M | 140 | 1120 | 480 |
| 1200 8M | 150 | 1200 | 480 |
| 1280 8M | 160 | 1280 | 480 |
| 1360 8M | 170 | 1360 | 480 |
| 1440 8M | 180 | 1440 | 480 |
| 1600 8M | 200 | 1600 | 480 |
| 1760 8M | 220 | 1760 | 480 |
| 1800 8M | 225 | 1800 | 480 |
| 2000 8M | 250 | 2000 | 480 |
| 2248 8M | 281 | 2248 | 480 |
| 2400 8M | 300 | 2400 | 480 |
| 2800 8M | 350 | 2800 | 480 |

HTD 14M PASO 14 mm


MATERIAL: NEOPRENO

| descripción | dientes | desarrollo mm | anchura mm |
|-------------|---------|---------------|------------|
| 966 14M | 69 | 966 | 470 |
| 1190 14M | 85 | 1190 | 470 |
| 1400 14M | 100 | 1400 | 470 |
| 1610 14M | 115 | 1610 | 470 |
| 1778 14M | 127 | 1778 | 470 |
| 1890 14M | 135 | 1890 | 470 |
| 2100 14M | 150 | 2100 | 470 |
| 2310 14M | 165 | 2310 | 470 |
| 2450 14M | 175 | 2450 | 470 |
| 2590 14M | 185 | 2590 | 470 |
| 2800 14M | 200 | 2800 | 470 |
| 3150 14M | 225 | 3150 | 470 |
| 3500 14M | 250 | 3500 | 470 |
| 3850 14M | 275 | 3850 | 470 |
| 4326 14M | 309 | 4326 | 470 |
| 4578 14M | 327 | 4578 | 470 |



MANGONES DENTADOS PASO METRICO SERIE "T" - DIN 7721-1

SLEEVES "T" - DIN 7721-1



T2,5 PASO 2,5 mm


MATERIAL: POLIURETANO

| descripción | dientes | desarrollo mm | anchura mm | |
|-------------|---------|------------------|---------------|--|
| T 2,5 120 | 48 | 120,0 | 380 | |
| T 2,5 145 | 58 | 145,0 | 380 | |
| T 2,5 160 | 64 | 160,0 | 380 | |
| T 2,5 177,5 | 71 | 177,5 | 380 | |
| T 2,5 200 | 80 | 200,0 | 380 | |
| T 2,5 230 | 92 | 230,0 | 380 | |
| T 2,5 245 | 98 | 245,0 | 380 | |
| T 2,5 265 | 106 | 265,0 | 380 | |
| T 2,5 285 | 114 | 285,0 | 380 | |
| T 2,5 305 | 122 | 305,0 | 380 | |
| T 2,5 317,5 | 127 | 317,5 | 380 | |
| T 2,5 330 | 132 | 330,0 | 380 | |
| T 2,5 380 | 152 | 380,0 | 380 | |
| T 2,5 420 | 168 | 420,0 | 380 | |
| T 2,5 480 | 192 | 480,0 | 380 | |
| T 2,5 500 | 200 | 500,0 | 380 | |
| T 2,5 600 | 240 | 600,0 | 380 | |
| T 2,5 650 | 260 | 650,0 | 380 | |
| T 2,5 780 | 312 | 780,0 | 380 | |
| T 2,5 915 | 366 | 915,0 | 380 | |
| T 2,5 950 | 380 | 950,0 | 380 | |



MANGONES DENTADOS PASO METRICO SERIE "T" - DIN 7721-1

SLEEVES "T" - DIN 7721-1



T 5 PASO 5 mm

MATERIAL: POLIURETANO

| descripción | dientes | desarrollo mm | anchura mm |
|-------------|---------|---------------|------------|
| T 5 185 | 37 | 185,0 | 380 |
| T 5 200 | 40 | 200,0 | 380 |
| T 5 215 | 43 | 215,0 | 380 |
| T 5 220 | 44 | 220,0 | 380 |
| T 5 225 | 45 | 225,0 | 380 |
| T 5 245 | 49 | 245,0 | 380 |
| T 5 255 | 51 | 255,0 | 380 |
| T 5 260 | 52 | 260,0 | 380 |
| T 5 270 | 54 | 270,0 | 380 |
| T 5 280 | 56 | 280,0 | 380 |
| T 5 295 | 59 | 295,0 | 380 |
| T 5 305 | 61 | 305,0 | 380 |
| T 5 330 | 66 | 330,0 | 380 |
| T 5 340 | 68 | 340,0 | 380 |
| T 5 350 | 70 | 350,0 | 380 |
| T 5 355 | 71 | 355,0 | 380 |
| T 5 365 | 73 | 365,0 | 380 |
| T 5 390 | 78 | 390,0 | 380 |
| T 5 400 | 80 | 400,0 | 380 |
| T 5 410 | 82 | 410,0 | 380 |
| T 5 420 | 84 | 420,0 | 380 |
| T 5 455 | 91 | 455,0 | 380 |
| T 5 475 | 95 | 475,0 | 380 |
| T 5 480 | 96 | 480,0 | 380 |
| T 5 500 | 100 | 500,0 | 380 |
| T 5 510 | 102 | 510,0 | 380 |
| T 5 525 | 105 | 525,0 | 380 |
| T 5 545 | 109 | 545,0 | 380 |
| T 5 550 | 110 | 550,0 | 380 |
| T 5 560 | 112 | 560,0 | 380 |
| T 5 575 | 115 | 575,0 | 380 |
| T 5 610 | 122 | 610,0 | 380 |
| T 5 620 | 124 | 620,0 | 380 |
| T 5 630 | 126 | 630,0 | 380 |
| T 5 650 | 130 | 650,0 | 380 |
| T 5 660 | 132 | 660,0 | 380 |
| T 5 690 | 138 | 690,0 | 380 |
| T 5 720 | 144 | 720,0 | 380 |

T 5 PASO 5 mm


MATERIAL: POLIURETANO

| descripción | dientes | desarrollo mm | anchura mm |
|-------------|---------|---------------|------------|
| T 5 750 | 150 | 750,0 | 380 |
| T 5 780 | 156 | 780,0 | 380 |
| T 5 815 | 163 | 815,0 | 380 |
| T 5 840 | 168 | 840,0 | 380 |
| T 5 900 | 180 | 900,0 | 380 |
| T 5 990 | 198 | 990,0 | 380 |
| T 5 1075 | 215 | 1075,0 | 380 |
| T 5 1100 | 220 | 1100,0 | 380 |
| T 5 1215 | 243 | 1215,0 | 380 |
| T 5 1315 | 263 | 1315,0 | 380 |



MANGONES DENTADOS PASO METRICO SERIE "T" - DIN 7721-1

SLEEVES "T" - DIN 7721-1



T 10 PASO 10 mm

MATERIAL: POLIURETANO

| descripción | dientes | desarrollo mm | anchura mm |
|-------------|---------|---------------|------------|
| T 10 260 | 26 | 260,0 | 380 |
| T 10 370 | 37 | 370,0 | 380 |
| T 10 400 | 40 | 400,0 | 380 |
| T 10 410 | 41 | 410,0 | 380 |
| T 10 440 | 44 | 440,0 | 380 |
| T 10 500 | 50 | 500,0 | 380 |
| T 10 530 | 53 | 530,0 | 380 |
| T 10 560 | 56 | 560,0 | 380 |
| T 10 600 | 60 | 600,0 | 380 |
| T 10 610 | 61 | 610,0 | 380 |
| T 10 630 | 63 | 630,0 | 380 |
| T 10 660 | 66 | 690,0 | 380 |
| T 10 690 | 69 | 690,0 | 380 |
| T 10 700 | 70 | 700,0 | 380 |
| T 10 720 | 72 | 720,0 | 380 |
| T 10 750 | 75 | 750,0 | 380 |
| T 10 780 | 78 | 780,0 | 380 |
| T 10 810 | 81 | 810,0 | 380 |
| T 10 840 | 84 | 840,0 | 380 |
| T 10 880 | 88 | 880,0 | 380 |
| T 10 890 | 89 | 890,0 | 380 |
| T 10 900 | 90 | 900,0 | 380 |
| T 10 920 | 92 | 920,0 | 380 |
| T 10 960 | 96 | 960,0 | 380 |
| T 10 970 | 97 | 970,0 | 380 |
| T 10 980 | 98 | 980,0 | 380 |
| T 10 1010 | 101 | 1010,0 | 380 |
| T 10 1080 | 108 | 1080,0 | 380 |
| T 10 1110 | 111 | 1110,0 | 380 |
| T 10 1140 | 114 | 1140,0 | 380 |
| T 10 1150 | 115 | 1150,0 | 380 |
| T 10 1210 | 121 | 1210,0 | 380 |
| T 10 1240 | 124 | 1240,0 | 380 |
| T 10 1250 | 125 | 1250,0 | 380 |
| T 10 1300 | 130 | 1300,0 | 380 |
| T 10 1320 | 132 | 1320,0 | 380 |

T 10 PASO 10 mm

MATERIAL: POLIURETANO

| descripción | dientes | desarrollo mm | anchura mm |
|-------------|---------|---------------|------------|
| T 10 1350 | 135 | 1350,0 | 380 |
| T 10 1390 | 139 | 1390,0 | 380 |
| T 10 1400 | 140 | 1400,0 | 380 |
| T 10 1420 | 142 | 1420,0 | 380 |
| T 10 1460 | 146 | 1460,0 | 380 |
| T 10 1500 | 150 | 1500,0 | 380 |
| T 10 1560 | 156 | 1560,0 | 380 |
| T 10 1610 | 161 | 1610,0 | 380 |
| T 10 1750 | 175 | 1750,0 | 380 |
| T 10 1780 | 178 | 1780,0 | 380 |
| T 10 1880 | 188 | 1880,0 | 380 |
| T 10 1960 | 196 | 1960,0 | 380 |
| T 10 2250 | 225 | 2250,0 | 380 |

